







S Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)	
0.12	7.9	137	2.56	177.55	S053	63A4	6000	6000	212-213
	7.1	153	2.29	198.45			6000	6000	
	6.4	167	2.09	217.64			6000	6000	
	5.5	197	1.77	256.33			6000	6000	
	4.5	242	1.45	314.21			6000	6000	
0.18	11.9	136	2.58	117.48	S053	63B4	6000	6000	212-213
	10.2	159	2.21	137.45			6000	6000	
	7.9	205	1.71	177.55			6000	6000	
	7.1	229	1.53	198.45			6000	6000	
	6.4	251	1.39	217.64			6000	6000	
	5.5	296	1.18	256.33			6000	6000	
	4.5	363	0.97	314.21			6000	6000	
0.25	14.6	154	2.28	95.84	S053	71A4	6000	6000	212-213
	11.9	188	1.86	117.48			6000	6000	
	10.2	220	1.59	137.45			6000	6000	
	7.9	285	1.23	177.55			6000	6000	
	7.1	318	1.10	198.45			6000	6000	
	6.4	349	1.00	217.64			6000	6000	
	5.5	411	0.85	256.33	6000	6000			
	9.3	242	2.48	150.85	S063	71A4	10000	4000	214-215
	7.6	297	2.02	185.05			10000	4000	
	6.4	349	1.72	217.79			10000	4000	
	5.2	428	1.40	267.16			10000	4000	
	5.6	402	2.49	250.50	S083	71A4	18000	7200	216-217
	4.8	469	2.13	292.36			18000	7200	
	4.4	506	1.98	315.73			18000	7200	
	3.9	578	1.73	360.58			18000	7200	
0.37	24.2	140	2.50	57.86	S052	71B4	6000	6000	212-213
	19.2	176	1.98	72.83			6000	6000	
	18.9	176	1.99	74.20	S053	71B4	6000	6000	212-213
	14.6	227	1.54	95.84			6000	6000	
	11.9	279	1.26	117.48			6000	6000	
	10.2	326	1.07	137.45			6000	6000	
	14.0	237	2.53	99.89			S063	71B4	
	11.1	300	2.00	126.43	10000	4000			
	9.3	358	1.68	150.85	10000	4000			
	7.6	439	1.37	185.05	10000	4000			
	6.4	517	1.16	217.79	10000	4000			
	5.2	634	0.95	267.16	10000	4000			
	7.6	439	2.28	184.88	S083	71B4			18000
	6.9	482	2.08	203.11			18000	7200	
	5.6	594	1.68	250.50			18000	7200	
	4.8	694	1.44	292.36			18000	7200	
	4.4	749	1.33	315.73			18000	7200	
	3.9	855	1.17	360.58			18000	7200	
	4.4	761	2.10	320.79	S103	71B4	22000	9000	218-219
	4.1	820	1.95	345.60			22000	9000	
	3.5	936	1.71	394.69			22000	9000	
0.55	32.8	154	2.28	42.63	S052	80A4	6000	6000	212-213
	29.7	170	2.06	47.20			6000	6000	
	26.8	188	1.86	52.25			6000	6000	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
S



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)																																																																																																																																																																																																																																																																																																																										
0.55	24.2	208	1.68	57.86	S052	80A4	6000	6000	212-213																																																																																																																																																																																																																																																																																																																									
	19.2	262	1.33	72.83			6000	6000		18.9	262	1.34	74.20	S053	80A4	6000	6000	212-213	14.6	338	1.04	95.84	6000	6000	20.8	243	2.47	67.47	S062	80A4	10000	4000	214-215	17.2	287	2.09	81.43	10000	4000	214-215	14.0	352	1.70	99.89	10000	4000	11.1	446	1.35	126.43	10000	4000	9.3	532	1.13	150.85	10000	4000	10.9	454	2.20	128.73	S083	80A4	18000	9236	216-217	8.8	560	1.79	158.76	18000	7200	7.6	652	1.53	184.88	18000	7200	6.9	716	1.40	203.11	18000	7200	5.6	883	1.13	250.50	18000	7200	4.8	1031	0.97	292.36	18000	7200	4.4	1113	0.90	315.73	18000	7200	6.9	716	2.23	203.11	S103	80A4	22000	9000	218-219	6.3	786	2.04	222.85	22000	9000	5.1	967	1.65	274.20	22000	9000	4.4	1131	1.41	320.79	22000	9000	4.1	1219	1.31	345.60	22000	9000	3.5	1392	1.15	394.69	22000	9000	0.75	46.7	147	1.97	30.00	S052	80B4	5727	5727	212-213	43.0	160	1.88	32.55	5834	5834	38.3	179	1.84	36.55	5983	5983	35.1	196	1.79	39.90	6000	6000	32.8	209	1.67	42.63	6000	6000	29.7	232	1.51	47.20	6000	6000	26.8	257	1.36	52.25	6000	6000	24.2	284	1.23	57.86	6000	6000	19.2	358	0.98	72.83	6000	6000	18.9	357	0.98	74.20	S053	80B4	6000	6000	212-213	26.2	263	2.28	53.53	S062	80B4	10000	4000	214-215	25.5	270	2.22	55.00	10000	4000	20.8	331	1.81	67.47	10000	4000	17.2	392	1.53	81.43	S063	80B4	10000	4000	214-215	14.0	480	1.25	99.89	10000	4000	11.1	608	0.99	126.43	10000	4000	11.9	564	1.77	117.17	S083	80B4	18000	8925	216-217	10.9	619	1.62	128.73	18000	9236	8.8	764	1.31	158.76	18000	7200	7.6	889	1.12	184.88	18000	7200	6.9	977	1.02	203.11	18000	7200	8.1	836	1.91	173.78	S103	80B4	22000	9000	218-219	6.9	977	1.64	203.11	22000	9000	6.3	1072	1.49	222.85	22000	9000	5.1	1319	1.21	274.20	22000	9000	4.4	1543	1.04	320.79	22000	9000	4.1	1662	0.96	345.60	22000
	18.9	262	1.34	74.20	S053	80A4	6000	6000	212-213																																																																																																																																																																																																																																																																																																																									
	14.6	338	1.04	95.84			6000	6000		20.8	243	2.47	67.47	S062	80A4	10000	4000	214-215	17.2	287	2.09	81.43	10000	4000	214-215	14.0	352	1.70	99.89	10000	4000	11.1	446	1.35	126.43	10000	4000	9.3	532		1.13	150.85	10000	4000	10.9	454	2.20	128.73	S083	80A4	18000	9236	216-217	8.8	560	1.79	158.76	18000	7200	7.6	652	1.53			184.88	18000		7200	6.9	716	1.40	203.11	18000	7200	5.6	883	1.13	250.50	18000	7200	4.8	1031	0.97	292.36	18000	7200	4.4	1113	0.90	315.73	18000	7200	6.9	716	2.23	203.11	S103	80A4	22000	9000	218-219	6.3	786	2.04	222.85	22000	9000			5.1	967		1.65	274.20	22000	9000	4.4	1131	1.41	320.79	22000	9000	4.1	1219	1.31	345.60	22000	9000	3.5	1392	1.15	394.69	22000	9000	0.75	46.7	147	1.97	30.00	S052	80B4	5727		5727	212-213	43.0	160			1.88	32.55		5834	5834	38.3	179	1.84	36.55	5983	5983	35.1	196	1.79	39.90	6000	6000	32.8	209	1.67	42.63	6000	6000	29.7	232	1.51	47.20	6000	6000	26.8	257	1.36	52.25	6000	6000	24.2	284	1.23	57.86	6000	6000	19.2	358	0.98	72.83	6000	6000	18.9	357	0.98	74.20	S053	80B4	6000	6000			212-213	26.2		263	2.28	53.53	S062			80B4	10000		4000	214-215	25.5	270	2.22	55.00	10000	4000	20.8	331	1.81	67.47	10000	4000	17.2	392			1.53	81.43		S063	80B4	10000	4000	214-215	14.0	480	1.25	99.89	10000	4000	11.1	608	0.99	126.43	10000			4000	11.9		564	1.77	117.17	S083	80B4	18000	8925	216-217	10.9	619	1.62	128.73	18000	9236	8.8	764	1.31	158.76	18000	7200	7.6	889	1.12	184.88	18000	7200	6.9	977			1.02	203.11		18000	7200	8.1	836	1.91	173.78	S103	80B4	22000	9000	218-219	6.9	977	1.64	203.11	22000	9000	6.3	1072	1.49	222.85	22000	9000	5.1	1319	1.21	274.20	22000	9000
	20.8	243	2.47	67.47	S062	80A4	10000	4000	214-215																																																																																																																																																																																																																																																																																																																									
	17.2	287	2.09	81.43			10000	4000		214-215																																																																																																																																																																																																																																																																																																																								
	14.0	352	1.70	99.89	10000	4000																																																																																																																																																																																																																																																																																																																												
	11.1	446	1.35	126.43	10000	4000																																																																																																																																																																																																																																																																																																																												
	9.3	532	1.13	150.85	10000	4000	10.9	454	2.20		128.73	S083	80A4	18000	9236	216-217	8.8	560	1.79	158.76	18000	7200	7.6	652	1.53	184.88	18000	7200	6.9	716	1.40	203.11	18000	7200	5.6	883	1.13	250.50	18000	7200	4.8	1031	0.97	292.36	18000	7200	4.4	1113			0.90	315.73		18000	7200	6.9	716	2.23	203.11	S103	80A4	22000			9000	218-219		6.3	786	2.04	222.85	22000	9000	5.1	967	1.65	274.20	22000	9000	4.4	1131	1.41	320.79	22000	9000	4.1	1219	1.31	345.60	22000	9000	3.5	1392	1.15	394.69	22000			9000	0.75		46.7	147	1.97	30.00	S052	80B4			5727	5727		212-213	43.0	160	1.88	32.55	5834	5834	38.3	179	1.84	36.55	5983	5983	35.1	196	1.79	39.90	6000	6000	32.8	209	1.67		42.63	6000	6000	29.7			232		1.51		47.20	6000			6000	26.8		257	1.36	52.25	6000	6000	24.2	284	1.23	57.86	6000	6000	19.2	358	0.98	72.83	6000	6000	18.9	357	0.98	74.20	S053	80B4	6000	6000	212-213	26.2	263	2.28	53.53	S062	80B4	10000	4000	214-215	25.5	270	2.22	55.00	10000	4000	20.8	331	1.81	67.47	10000	4000	17.2	392	1.53	81.43	S063	80B4	10000	4000	214-215	14.0	480	1.25	99.89	10000	4000	11.1	608	0.99	126.43	10000	4000	11.9	564	1.77	117.17	S083	80B4	18000	8925	216-217	10.9	619	1.62	128.73	18000	9236	8.8	764	1.31	158.76	18000	7200	7.6	889	1.12	184.88	18000	7200	6.9	977	1.02	203.11	18000	7200	8.1	836	1.91	173.78	S103	80B4	22000	9000	218-219	6.9			977	1.64		203.11	22000	9000	6.3	1072	1.49	222.85	22000	9000	5.1	1319	1.21	274.20	22000	9000	4.4	1543	1.04	320.79	22000			9000	4.1		1662	0.96	345.60	22000	9000																								
	10.9	454	2.20	128.73	S083	80A4	18000	9236	216-217																																																																																																																																																																																																																																																																																																																									
	8.8	560	1.79	158.76			18000	7200																																																																																																																																																																																																																																																																																																																										
	7.6	652	1.53	184.88			18000	7200																																																																																																																																																																																																																																																																																																																										
6.9	716	1.40	203.11	18000			7200																																																																																																																																																																																																																																																																																																																											
5.6	883	1.13	250.50	18000			7200																																																																																																																																																																																																																																																																																																																											
4.8	1031	0.97	292.36	18000			7200																																																																																																																																																																																																																																																																																																																											
4.4	1113	0.90	315.73	18000			7200																																																																																																																																																																																																																																																																																																																											
6.9	716	2.23	203.11	S103			80A4	22000		9000	218-219																																																																																																																																																																																																																																																																																																																							
6.3	786	2.04	222.85		22000	9000																																																																																																																																																																																																																																																																																																																												
5.1	967	1.65	274.20		22000	9000																																																																																																																																																																																																																																																																																																																												
4.4	1131	1.41	320.79		22000	9000																																																																																																																																																																																																																																																																																																																												
4.1	1219	1.31	345.60		22000	9000																																																																																																																																																																																																																																																																																																																												
3.5	1392	1.15	394.69		22000	9000																																																																																																																																																																																																																																																																																																																												
0.75	46.7	147	1.97		30.00	S052		80B4	5727	5727		212-213																																																																																																																																																																																																																																																																																																																						
	43.0	160	1.88		32.55				5834	5834																																																																																																																																																																																																																																																																																																																								
	38.3	179	1.84	36.55	5983		5983																																																																																																																																																																																																																																																																																																																											
	35.1	196	1.79	39.90	6000		6000																																																																																																																																																																																																																																																																																																																											
	32.8	209	1.67	42.63	6000		6000																																																																																																																																																																																																																																																																																																																											
	29.7	232	1.51	47.20	6000		6000																																																																																																																																																																																																																																																																																																																											
	26.8	257	1.36	52.25	6000		6000																																																																																																																																																																																																																																																																																																																											
	24.2	284	1.23	57.86	6000		6000																																																																																																																																																																																																																																																																																																																											
	19.2	358	0.98	72.83	6000		6000																																																																																																																																																																																																																																																																																																																											
	18.9	357	0.98	74.20	S053		80B4		6000	6000	212-213																																																																																																																																																																																																																																																																																																																							
	26.2	263	2.28	53.53					S062	80B4			10000	4000	214-215																																																																																																																																																																																																																																																																																																																			
	25.5	270	2.22	55.00									10000	4000																																																																																																																																																																																																																																																																																																																				
	20.8	331	1.81	67.47	10000	4000																																																																																																																																																																																																																																																																																																																												
	17.2	392	1.53	81.43	S063	80B4	10000	4000	214-215																																																																																																																																																																																																																																																																																																																									
	14.0	480	1.25	99.89			10000	4000																																																																																																																																																																																																																																																																																																																										
	11.1	608	0.99	126.43			10000	4000																																																																																																																																																																																																																																																																																																																										
	11.9	564	1.77	117.17	S083	80B4	18000	8925	216-217																																																																																																																																																																																																																																																																																																																									
	10.9	619	1.62	128.73			18000	9236																																																																																																																																																																																																																																																																																																																										
	8.8	764	1.31	158.76			18000	7200																																																																																																																																																																																																																																																																																																																										
	7.6	889	1.12	184.88			18000	7200																																																																																																																																																																																																																																																																																																																										
	6.9	977	1.02	203.11			18000	7200																																																																																																																																																																																																																																																																																																																										
	8.1	836	1.91	173.78			S103	80B4		22000	9000	218-219																																																																																																																																																																																																																																																																																																																						
	6.9	977	1.64	203.11	22000	9000																																																																																																																																																																																																																																																																																																																												
	6.3	1072	1.49	222.85	22000	9000																																																																																																																																																																																																																																																																																																																												
5.1	1319	1.21	274.20	22000	9000																																																																																																																																																																																																																																																																																																																													
4.4	1543	1.04	320.79	22000	9000																																																																																																																																																																																																																																																																																																																													
4.1	1662	0.96	345.60	22000	9000																																																																																																																																																																																																																																																																																																																													




S Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)				
0.75	4.6	1448	2.07	301.16	S123	80B4	30000	11200	220-221			
	4.1	1654	1.81	343.93			30000	11200				
0.92	58.2	145	1.79	24.07	S052	80C4	5279	5279	212-213			
	54.3	155	1.87	25.79			5360	5360				
	50.3	168	1.73	27.81			5447	5447				
	46.7	181	1.60	30.00			5533	5533				
	43.0	196	1.53	32.55			5624	5624				
	38.3	220	1.50	36.55			5747	5747				
	35.1	240	1.46	39.90			5836	5836				
	32.8	257	1.36	42.63			5900	5900				
	29.7	284	1.23	47.20			5993	5993				
	26.8	315	1.11	52.25			6000	6000				
	24.2	349	1.00	57.86			6000	6000				
	30.4	278	2.16	46.10			S062	80C4		10000	4000	214-215
	26.2	322	1.86	53.53						10000	4000	
	25.5	331	1.81	55.00						10000	4000	
20.8	406	1.48	67.47	10000	4000							
17.2	480	1.25	81.43	S063	80C4	10000	4000	214-215				
14.0	589	1.02	99.89			10000	4000					
15.3	540	1.85	91.49	S083	80C4	18000	8152	216-217				
11.9	691	1.45	117.17			18000	8925					
10.9	759	1.32	128.73			18000	9236					
8.8	937	1.07	158.76			18000	7200					
7.6	1091	0.92	184.88			18000	7200					
10.9	759	2.11	128.73	S103	80C4	22000	11195	218-219				
9.9	833	1.92	141.24			22000	11580					
8.1	1025	1.56	173.78			22000	9000					
6.9	1198	1.34	203.11			22000	9000					
6.3	1315	1.22	222.85			22000	9000					
5.1	1618	0.99	274.20			22000	9000					
5.0	1652	1.82	280.10			S123	80C4		30000	11200	220-221	
4.6	1777	1.69	301.16	30000	11200							
4.1	2029	1.48	343.93	30000	11200							
1.1	102.5	98	2.13	13.66	S052	90S4	4506	4506	212-213			
	91.7	110	2.18	15.27			4629	4629				
	86.0	117	2.05	16.29			4700	4700				
	75.1	134	1.80	18.63			4846	4846				
	66.6	152	1.72	21.04			4975	4975				
	58.2	173	1.50	24.07			5114	5114				
	54.3	186	1.56	25.79			5183	5183				
	50.3	200	1.45	27.81			5257	5257				
	46.7	216	1.34	30.00			5328	5328				
	43.0	234	1.28	32.55			5401	5401				
	38.3	263	1.25	36.55			5497	5497				
	35.1	287	1.22	39.90			5563	5563				
	32.8	307	1.14	42.63			5608	5608				
	29.7	340	1.03	47.20			5670	5670				
26.8	376	0.93	52.25	5719	5719							
46.7	216	2.31	30.00	S062	90S4	9948	3979	214-215				
41.3	244	2.21	33.93			10000	4000					
38.3	263	2.28	36.57			10000	4000					
35.6	284	2.12	39.38			10000	4000					
32.1	314	1.91	43.64			10000	4000					



Prestazioni / Performance / Leistungen / Performances / Prestaciones
S



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)				
1.1	30.4	332	1.81	46.10	S062	90S4	10000	4000	214-215			
	26.2	386	1.56	53.53			10000	4000				
	25.5	396	1.51	55.00			10000	4000				
	20.8	486	1.23	67.47			10000	4000				
	17.2	574	1.04	81.43	S063	90S4	10000	4000	214-215			
	22.6	446	2.24	61.98	S082	90S4	18000	7055	216-217			
	20.7	476	2.10	67.52	S083	90S4	18000	7285	216-217			
	18.9	523	1.91	74.18			18000	7544				
	15.3	645	1.55	91.49			18000	8152				
	11.9	826	1.21	117.17			18000	8925				
	10.9	908	1.10	128.73			18000	9236				
	8.8	1120	0.89	158.76			18000	7200				
	14.0	706	2.27	100.15			S103	90S4		22000	10211	218-219
	12.7	780	2.05	110.55						22000	10588	
	10.9	908	1.76	128.73	22000	11195						
	9.9	996	1.61	141.24	22000	11580						
8.1	1226	1.31	173.78	22000	9000							
6.9	1433	1.12	203.11	22000	9000							
6.3	1572	1.02	222.85	22000	9000							
7.2	1372	2.19	194.59	S123	90S4	30000	11200	220-221				
5.9	1685	1.78	238.93			30000	11200					
5.0	1976	1.52	280.10			30000	11200					
4.6	2124	1.41	301.16			30000	11200					
4.1	2426	1.24	343.93			30000	11200					
1.5	162.3	85	2.01	8.63	S052	90L4	3871	3871	212-213			
	125.7	109	1.74	11.14			4112	4112				
	102.5	134	1.57	13.66			4298	4298				
	91.7	150	1.60	15.27			4397	4397				
	86.0	160	1.50	16.29			4452	4452				
	75.1	183	1.32	18.63			4562	4562				
	66.6	207	1.26	21.04			4655	4655				
	58.2	236	1.10	24.07			4748	4748				
	54.3	253	1.14	25.79			4791	4791				
	50.3	273	1.06	27.81			4834	4834				
	46.7	295	0.98	30.00			4871	4871				
	43.0	320	0.94	32.55			4905	4905				
	38.3	359	0.92	36.55			4941	4941				
	35.1	392	0.89	39.90			4956	4956				
	60.4	228	2.06	23.18	S062	90L4	8951	3581	214-215			
	55.7	247	1.94	25.14			9112	3645				
	50.6	272	1.77	27.66			9296	3719				
	46.7	295	1.70	30.00			9450	3780				
	41.3	333	1.62	33.93			9675	3870				
	38.3	359	1.67	36.57			9806	3922				
	35.6	387	1.55	39.38			9929	3972				
	32.1	429	1.40	43.64			10000	4000				
	30.4	453	1.33	46.10			10000	4000				
	26.2	526	1.14	53.53			10000	4000				
	25.5	540	1.11	55.00			10000	4000				
	20.8	663	0.91	67.47			10000	4000				
	27.9	494	2.03	50.25			S082	90L4		18000	6521	216-217
	25.8	533	1.88	54.27						18000	6712	
22.6	609	1.64	61.98	18000	7055							




S Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
1.5	20.7	649	1.54	67.52	S083	90L4	18000	7285	216-217				
	18.9	713	1.40	74.18			18000	7544					
	15.3	880	1.14	91.49			18000	8152					
	11.9	1127	0.89	117.17			18000	8925					
	18.9	713	2.24	74.18	S103	90L4	22000	9136	218-219				
	17.2	783	2.04	81.39			22000	9457					
	14.0	963	1.66	100.15			22000	10211					
	12.7	1063	1.50	110.55			22000	10588					
	10.9	1238	1.29	128.73			22000	11195					
	9.9	1358	1.18	141.24			22000	11580					
	8.1	1671	0.96	173.78			22000	9000					
		10.5	1287	2.33			133.78	S123		90L4	30000	14693	220-221
9.2		1457	2.06	151.43	30000	15442							
7.9		1708	1.76	177.53	30000	11200							
7.2		1872	1.60	194.59	30000	11200							
5.9		2298	1.31	238.93	30000	11200							
5.0		2694	1.11	280.10	30000	11200							
4.6		2897	1.04	301.16	30000	11200							
4.1		3308	0.91	343.93	30000	11200							
1.84		162.3	104	1.64	8.63	S052	90LL4		3759		3759	212-213	
		125.7	134	1.42	11.14				3968		3968		
	102.5	165	1.28	13.66	4121			4121					
	91.7	184	1.30	15.27	4199			4199					
	86.0	196	1.22	16.29	4241			4241					
	75.1	224	1.07	18.63	4321			4321					
	66.6	253	1.03	21.04	4383			4383					
	58.2	290	0.90	24.07	4437			4437					
	54.3	311	0.93	25.79	4457			4457					
	50.3	335	0.87	27.81	4474			4474					
		71.6	236	1.95	19.55			S062	90LL4	8333	3333		214-215
		60.4	279	1.68	23.18					8624	3450		
		55.7	303	1.58	25.14					8757	3503		
		50.6	333	1.44	27.66					8906	3562		
46.7		361	1.38	30.00	9027	3611							
41.3		409	1.32	33.93	9196	3678							
38.3		441	1.36	36.57	9289	3716							
35.6		474	1.26	39.38	9374	3749							
32.1		526	1.14	43.64	9475	3790							
30.4		555	1.08	46.10	9521	3808							
26.2		645	0.93	53.53	9613	3845							
25.5		663	0.91	55.00	9624	3849							
		35.0	483	2.07	40.05	S082	90LL4			18000	5983	216-217	
		32.5	519	1.93	43.05					18000	6150		
	27.9	605	1.65	50.25	18000			6521					
	25.8	654	1.53	54.27	18000			6712					
	22.6	747	1.34	61.98	18000			7055					
		20.7	797	1.26	67.52			S083	90LL4	18000	7285		216-217
18.9		875	1.14	74.18	18000	7544							
15.3		1079	0.93	91.49	18000	8152							
	25.4	664	1.96	55.14	S102	90LL4	22000	8396	218-219				
	23.6	716	2.24	59.40			22000	8406					
	20.6	817	1.96	67.84			22000	8836					



Prestazioni / Performance / Leistungen / Performances / Prestaciones
S



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
1.84	18.9	875	1.83	74.18	S103	90LL4	22000	9136	218-219				
	17.2	960	1.67	81.39			22000	9457					
	14.0	1182	1.35	100.15			22000	10211					
	12.7	1304	1.23	110.55			22000	10588					
	10.9	1519	1.05	128.73			22000	11195					
	9.9	1666	0.96	141.24			22000	11580					
2.2	12.4	1328	2.26	112.52	S123	90LL4	30000	13697	220-221				
	11.4	1455	2.06	123.33			30000	14218					
	10.5	1578	1.90	133.78			30000	14693					
	9.2	1787	1.68	151.43			30000	11200					
	7.9	2095	1.43	177.53			30000	11200					
	7.2	2296	1.31	194.59			30000	11200					
	5.9	2819	1.06	238.93			30000	11200					
	5.0	3305	0.91	280.10			30000	11200					
	2.2	162.3	124	1.37			8.63	S052		100LA4	3641	3641	212-213
		125.7	161	1.18			11.14				3815	3815	
102.5		197	1.07	13.66	3934	3934							
91.7		220	1.09	15.27	3990	3990							
86.0		235	1.02	16.29	4018	4018							
75.1		268	0.90	18.63	4066	4066							
66.6		303	0.86	21.04	4095	4095							
2.2	119.6	169	2.31	11.71	S062	100LA4	7228	2891	214-215				
	104.8	192	2.18	13.36			7446	2978					
	87.8	230	1.96	15.94			7731	3092					
	71.6	282	1.63	19.55			8041	3217					
	60.4	334	1.41	23.18			8278	3311					
	55.7	362	1.33	25.14			8381	3353					
	50.6	398	1.20	27.66			8493	3397					
	46.7	432	1.16	30.00			8579	3431					
	41.3	489	1.10	33.93			8689	3476					
	38.3	527	1.14	36.57			8743	3497					
	35.6	567	1.06	39.38			8785	3514					
	32.1	629	0.95	43.64			8823	3529					
	2.2	51.3	393	2.29			27.29	S082		100LA4	18000	5253	216-217
44.1		458	2.18	31.78	18000	5474							
40.1		503	1.99	34.91	18000	5676							
35.0		577	1.73	40.05	18000	5983							
32.5		620	1.61	43.05	18000	6150							
27.9		724	1.38	50.25	18000	6521							
25.8		782	1.28	54.27	18000	6712							
22.6		893	1.12	61.98	18000	7055							
2.2		20.7	953	1.05	67.52	S083	100LA4		18000		7285	216-217	
	18.9	1046	0.96	74.18	18000			7544					
2.2	31.8	634	2.05	44.00	S102	100LA4	22000	7724	218-219				
	29.7	679	2.36	47.13			22000	7701					
	25.4	794	1.64	55.14			22000	8396					
	23.6	856	1.87	59.40			22000	8406					
	20.6	977	1.64	67.84			22000	8836					
2.2	18.9	1046	1.53	74.18	S103	100LA4	22000	9136	218-219				
	17.2	1148	1.39	81.39			22000	9457					
	14.0	1413	1.13	100.15			22000	10211					
	12.7	1559	1.03	110.55			22000	10588					




S Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)				
2.2	12.4	1587	1.89	112.52	S123	100LA4	30000	13697	220-221			
	11.4	1740	1.72	123.33			30000	14218				
	10.5	1887	1.59	133.78			30000	14693				
	9.2	2136	1.40	151.43			30000	11200				
	7.9	2504	1.20	177.53			30000	11200				
	7.2	2745	1.09	194.59			30000	11200				
	5.9	3371	0.89	238.93			30000	11200				
3	162.3	169	1.00	8.63	S052	100LB4	3379	3379	212-213			
	125.7	219	0.87	11.14			3476	3476				
	175.0	157	2.10	8.00	S062	100LB4	6321	2528	214-215			
	146.7	188	1.92	9.55			6568	2627				
	119.6	230	1.70	11.71			6839	2736				
	104.8	262	1.60	13.36			7003	2801				
	87.8	313	1.44	15.94			7201	2881				
	71.6	384	1.20	19.55			7392	2957				
	60.4	455	1.03	23.18			7508	3003				
	55.7	494	0.97	25.14			7546	3019				
	50.6	543	0.88	27.66			7574	3030				
	80.9	340	2.27	17.29			S082	100LB4		17245	4523	216-217
	69.5	396	1.95	20.14						18000	4794	
	63.3	435	1.84	22.13						18000	4939	
	58.3	471	1.70	24.00						18000	5094	
	51.3	536	1.68	27.29						18000	5253	
48.8	563	1.60	28.67	18000	5354							
44.1	624	1.60	31.78	18000	5474							
40.1	686	1.46	34.91	18000	5676							
35.0	787	1.27	40.05	18000	5983							
32.5	846	1.18	43.05	18000	6150							
27.9	987	1.01	50.25	18000	6521							
25.8	1066	0.94	54.27	18000	6712							
40.1	686	2.04	34.91	S102	100LB4	22000			7011	218-219		
36.6	752	1.99	38.30			22000			7187			
31.8	864	1.50	44.00			22000	7724					
29.7	926	1.73	47.13			22000	7701					
25.4	1083	1.20	55.14			22000	8396					
23.6	1167	1.37	59.40			22000	8406					
20.6	1333	1.20	67.84			22000	8836					
18.9	1427	1.12	74.18			S103	100LB4	22000	9136		218-219	
17.2	1566	1.02	81.39	22000	9457							
28.5	963	2.49	49.04	S122	100LB4	30000	10285	220-221				
26.0	1056	2.46	53.75			30000	10464					
21.2	1297	2.31	66.00			30000	10962					
19.7	1367	1.97	71.07	S123	100LB4	30000	11638	220-221				
16.0	1679	1.79	87.27			30000	12334					
12.4	2164	1.39	112.52			30000	13697					
11.4	2372	1.26	123.33			30000	14218					
10.5	2573	1.17	133.78			30000	14693					
9.2	2913	1.03	151.43			30000	11200					
7.9	3415	0.88	177.53			30000	11200					
4	175.0	210	1.57			8.00	S062		112M4	5989	2396	214-215
	146.7	250	1.44	9.55	6171	2469						
	119.6	307	1.27	11.71	6353	2541						



Prestazioni / Performance / Leistungen / Performances / Prestaciones
S



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)	
4	104.8	350	1.20	13.36	S062	112M4	6448	2579	214-215
	87.8	417	1.08	15.94			6540	2616	
	71.6	512	0.90	19.55			6581	2632	
	89.0	412	1.87	15.73	S082	112M4	16441	4361	216-217
	80.9	453	1.70	17.29			16873	4523	
	69.5	528	1.46	20.14			17574	4794	
	63.3	580	1.38	22.13			18000	4939	
	58.3	629	1.27	24.00			18000	5094	
	51.3	715	1.26	27.29			18000	5253	
	48.8	751	1.20	28.67			18000	5354	
	44.1	832	1.20	31.78			18000	5474	
	40.1	914	1.09	34.91			18000	5676	
35.0	1049	0.95	40.05	18000			5983		
32.5	1128	0.89	43.05	18000	6150				
46.9	782	1.92	29.87	S102	112M4	22000	6533	218-219	
43.2	849	1.77	32.40			22000	6741		
40.1	914	1.53	34.91			22000	7011		
36.6	1003	1.50	38.30			22000	7187		
31.8	1153	1.13	44.00			22000	7724		
29.7	1234	1.30	47.13			22000	7701		
28.5	1285	1.87	49.04	S122	112M4	30000	10285	220-221	
26.0	1408	1.85	53.75			30000	10464		
21.2	1729	1.74	66.00			30000	10962		
19.7	1823	1.48	71.07	S123	112M4	30000	11638	220-221	
16.0	2238	1.34	87.27			30000	12334		
12.4	2886	1.04	112.52			30000	13697		
11.4	3163	0.95	123.33			30000	14218		
4.8	175.0	251	1.31	8.00	S062	112MS4	5723	2289	214-215
	146.7	300	1.20	9.55			5855	2342	
	119.6	368	1.06	11.71			5964	2386	
	104.8	420	1.00	13.36			6005	2402	
	87.8	501	0.90	15.94			6011	2404	
	120.6	365	1.92	11.61	S082	112MS4	14898	3942	216-217
	109.8	401	1.87	12.75			15287	4040	
	89.0	494	1.56	15.73			16170	4361	
	80.9	544	1.42	17.29			16575	4523	
	69.5	633	1.22	20.14			17228	4794	
	63.3	695	1.15	22.13			17631	4939	
	58.3	754	1.06	24.00			17980	5094	
51.3	858	1.05	27.29	18000			5253		
48.8	901	1.00	28.67	18000			5354		
44.1	999	1.00	31.78	18000			5474		
40.1	1097	0.91	34.91	18000			5676		
73.7	597	2.34	19.00	S102	112MS4	21498	5547	218-219	
63.3	695	2.01	22.13			22000	5886		
57.7	763	1.97	24.28			22000	6028		
53.2	828	1.81	26.33			22000	6222		
46.9	939	1.60	29.87			22000	6533		
43.2	1018	1.47	32.40			22000	6741		
40.1	1097	1.28	34.91			22000	7011		
36.6	1204	1.25	38.30			22000	7187		
31.8	1383	0.94	44.00			22000	7724		




S Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
4.8	34.1	1291	2.32	41.07	S122	112MS4	30000	8903	220-221				
	28.5	1541	1.56	49.04			30000	10285					
	26.0	1690	1.54	53.75			30000	10464					
	21.2	2075	1.45	66.00			30000	10962					
	19.7	2187	1.23	71.07	S123	112MS4	30000	11638	220-221				
	16.0	2686	1.12	87.27			30000	12334					
5.5	190.8	264	2.08	7.34	S082	132S4	12969	3437	216-217				
	173.6	290	2.07	8.06			13319	3515					
	140.8	358	1.81	9.94			14120	3760					
	120.6	418	1.67	11.61			14723	3942					
	109.8	459	1.63	12.75			15095	4040					
	89.0	566	1.36	15.73			15933	4361					
	80.9	623	1.24	17.29			16315	4523					
	69.5	725	1.06	20.14			16925	4794					
	63.3	797	1.00	22.13			17298	4939					
	58.3	864	0.93	24.00			17618	5094					
	51.3	983	0.92	27.29			18000	5253					
	48.8	1033	0.87	28.67			18000	5354					
	44.1	1144	0.87	31.78			18000	5474					
		128.6	392	2.42			10.88	S102		132S4	18160	4775	218-219
		109.8	459	2.18			12.75				19014	5032	
		100.1	504	2.38			13.99				19526	5063	
	81.3	620	2.10	17.21	20700	5410							
	73.7	684	2.05	19.00	21272	5547							
	63.3	797	1.76	22.13	22000	5886							
	57.7	874	1.72	24.28	22000	6028							
	53.2	948	1.58	26.33	22000	6222							
	46.9	1076	1.39	29.87	22000	6533							
	43.2	1167	1.29	32.40	22000	6741							
	40.1	1257	1.11	34.91	22000	7011							
	36.6	1380	1.09	38.30	22000	7187							
	45.9	1099	2.73	30.51	S122	132S4	30000		7768		220-221		
	41.9	1205	2.49	33.44			30000		8107				
	34.1	1479	2.03	41.07			30000		8903				
	32.1	1570	1.91	43.60			30000		9145				
	28.5	1766	1.36	49.04			30000	10285					
	26.0	1936	1.34	53.75			30000	10464					
	21.2	2377	1.26	66.00			30000	10962					
	19.7	2506	1.08	71.07			S123	132S4	30000	11638		220-221	
	16.0	3078	0.97	87.27					30000	12334			
7.5	190.8	360	1.53	7.34			S082	132L4	12653	3437		216-217	
	173.6	396	1.52	8.06					12972	3515			
	140.8	488	1.33	9.94					13692	3760			
	120.6	570	1.23	11.61					14224	3942			
	109.8	626	1.20	12.75					14547	4040			
	89.0	772	1.00	15.73					15256	4361			
		173.6	396	2.15					8.06	S102			132L4
		158.3	434	2.07	8.85	16782			4450				
		128.6	535	1.78	10.88	17790			4775				
		109.8	626	1.60	12.75	18580			5032				
		100.1	687	1.75	13.99	19051			5063				
		81.3	845	1.54	17.21	20115			5410				
		73.7	933	1.50	19.00	20627			5547				
		63.3	1087	1.29	22.13	21416			5886				
		57.7	1192	1.26	24.28	21895			6028				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
S


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
7.5	53.2	1293	1.16	26.33	S102	132L4	22000	6222	218-219				
	46.9	1467	1.02	29.87			22000	6533					
	43.2	1591	0.94	32.40			22000	6741					
	53.5	1285	2.34	26.15	S122	132L4	30000	7222	220-221				
	49.0	1405	2.14	28.60			30000	7535					
	45.9	1499	2.00	30.51			30000	7768					
	41.9	1643	1.83	33.44			30000	8107					
	39.8	1729	1.74	35.20			30000	8300					
	34.1	2017	1.49	41.07			30000	8903					
	32.1	2141	1.40	43.60			30000	9145					
	28.5	2408	1.00	49.04			30000	10285					
	26.0	2640	0.98	53.75			30000	10464					
	21.2	3242	0.93	66.00			30000	10962					
	9.2	190.8	442	1.24			7.34	S082		132M4	12385	3437	216-217
		173.6	486	1.24			8.06				12678	3515	
140.8		599	1.08	9.94	13328	3760							
120.6		699	1.00	11.61	13800	3942							
109.8		768	0.98	12.75	14080	4040							
	173.6	486	1.75	8.06	S102	132M4	16109	4332	218-219				
	158.3	533	1.69	8.85			16526	4450					
	128.6	656	1.45	10.88			17476	4775					
	109.8	768	1.30	12.75			18212	5032					
	100.1	843	1.42	13.99			18646	5063					
	81.3	1037	1.25	17.21			19618	5410					
	73.7	1145	1.22	19.00			20078	5547					
	63.3	1333	1.05	22.13			20777	5886					
	57.7	1463	1.03	24.28			21194	6028					
	53.2	1587	0.95	26.33			21552	6222					
		65.9	1280	2.19			21.25	S122		132M4	29365	6745	220-221
		60.1	1403	2.07			23.29				29950	6937	
		53.5	1576	1.90			26.15				30000	7222	
		49.0	1723	1.74			28.60				30000	7535	
		45.9	1838	1.63			30.51				30000	7768	
41.9		2015	1.49	33.44	30000	8107							
39.8		2121	1.41	35.20	30000	8300							
34.1		2474	1.21	41.07	30000	8903							
32.1		2627	1.14	43.60	30000	9145							
11		173.6	581	1.46	8.06	S102	160M4		15862		4332	218-219	
		158.3	637	1.41	8.85				16256		4450		
		128.6	784	1.21	10.88				17143		4775		
	109.8	918	1.09	12.75	17822			5032					
	100.1	1008	1.19	13.99	18218			5063					
	81.3	1240	1.05	17.21	19091			5410					
	165.0	611	2.45	8.48	S122	160M4	22955	5596	220-221				
	150.6	670	2.54	9.30			23509	5602					
	122.6	822	2.31	11.42			24757	5907					
	110.9	910	2.42	12.63			25368	5851					
	101.2	997	2.41	13.84			25923	5888					
	82.4	1224	2.12	16.99			27144	6266					
	65.9	1531	1.83	21.25			28416	6745					
	60.1	1678	1.73	23.29			28910	6937					
	53.5	1884	1.59	26.15			29504	7222					
	49.0	2060	1.46	28.60			29934	7535					
	45.9	2198	1.36	30.51			30000	7768					
	41.9	2409	1.25	33.44			30000	8107					





S Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
11	39.8	2536	1.18	35.20	S122	160M4	30000	8300	220-221				
	34.1	2958	1.01	41.07			30000	8903					
	32.1	3140	0.96	43.60			30000	9145					
15	173.6	792	1.07	8.06	S102	160L4	15314	4332	218-219				
	158.3	869	1.04	8.85			15654	4450					
	165.0	833	1.80	8.48			22113	5596					
18.5	150.6	913	1.86	9.30	S122	160L4	22586	5602	220-221				
	122.6	1121	1.69	11.42			23624	5907					
	110.9	1240	1.77	12.63			24116	5851					
	101.2	1359	1.77	13.84			24550	5888					
	82.4	1669	1.56	16.99			25458	6266					
	65.9	2087	1.34	21.25			26307	6745					
	60.1	2288	1.27	23.29			26599	6937					
	53.5	2569	1.17	26.15			26909	7222					
	49.0	2809	1.07	28.60			27096	7535					
	45.9	2997	1.00	30.51			27199	7768					
	41.9	3285	0.91	33.44			27293	8107					
	39.8	3458	0.87	35.20			27317	8300					
	18.5	165.0	1028	1.46			8.48	S122		180M4	21376	5596	220-221
		150.6	1126	1.51			9.30				21779	5602	
		122.6	1383	1.37			11.42				22633	5907	
110.9		1530	1.44	12.63	23019	5851							
101.2		1677	1.43	13.84	23348	5888							
82.4		2059	1.26	16.99	23983	6266							
65.9		2574	1.09	21.25	24462	6745							
60.1		2822	1.03	23.29	24577	6937							
53.5		3169	0.95	26.15	24638	7222							
49.0		3465	0.87	28.60	24613	7535							
22		165.0	1222	1.23	8.48	S122	180L4		20640		5596	220-221	
		150.6	1339	1.27	9.30				20972		5602		
	122.6	1645	1.16	11.42	21641			5907					
	110.9	1819	1.21	12.63	21923			5851					
	101.2	1994	1.20	13.84	22147			5888					
	82.4	2448	1.06	16.99	22507			6266					
	65.9	3061	0.91	21.25	22617			6745					
	60.1	3356	0.86	23.29	22555			6937					



Prestazioni / Performance / Leistungen / Performances / Prestaciones (n1=1400) IS

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 D (N)	Fr2 C (N)	
170	8.63	3.0	162.3	IS052	718	3375	3375	213
190	11.14	2.6	125.7		810	3644	3644	
210	13.66	2.3	102.5		869	3857	3857	
240	15.27	2.4	91.7		857	3874	3874	
240	16.29	2.3	86.0		891	3987	3987	
240	18.63	2.0	75.1		956	4231	4231	
260	21.04	1.9	66.6		974	4345	4345	
260	24.07	1.6	58.2		1029	4611	4611	
290	25.79	1.7	54.3		1013	4578	4578	
290	27.81	1.6	50.3		1042	4736	4736	
290	30.00	1.5	46.7		1069	4898	4898	
300	32.55	1.4	43.0		1084	5020	5020	
330	36.55	1.4	38.3		1091	5109	5109	
350	39.90	1.3	35.1		1100	5200	5200	
350	42.63	1.3	32.8		1119	5359	5359	
350	47.20	1.1	29.7		1147	5612	5612	
350	52.25	1.0	26.8		1172	5873	5873	
350	57.86	0.92	24.2		1195	6000	6000	
350	72.83	0.73	19.2		1238	6000	6000	
350	74.20	0.7	18.9	IS053	1242	6000	6000	213
350	95.84	0.57	14.6		1279	6000	6000	
350	117.48	0.46	11.9		1302	6000	6000	
350	137.45	0.40	10.2		1317	6000	6000	
350	177.55	0.31	7.9		1338	6000	6000	
350	198.45	0.28	7.1		1345	6000	6000	
350	217.64	0.25	6.4		1350	6000	6000	
350	256.33	0.21	5.5		1359	6000	6000	
350	314.21	0.17	4.5		1367	6000	6000	
330	8.00	6.3	175.0	IS062	350	5225	2090	215
360	9.55	5.8	146.7		441	5474	2190	
390	11.71	5.1	119.6		554	5825	2330	
420	13.36	4.8	104.8		602	6004	2401	
450	15.94	4.3	87.8		684	6334	2533	
460	19.55	3.6	71.6		805	6911	2764	
470	23.18	3.1	60.4		888	7415	2966	
480	25.14	2.9	55.7		919	7635	3054	
480	27.66	2.7	50.6		963	7976	3190	
500	30.00	2.5	46.7		981	8149	3260	
540	33.93	2.4	41.3		1000	8364	3346	
600	36.57	2.5	38.3		988	8280	3312	
600	39.38	2.3	35.6		1018	8578	3431	
600	43.64	2.1	32.1		1056	9005	3602	
600	46.10	2.0	30.4		1075	9239	3695	
600	53.53	1.7	26.2		1121	9898	3959	
600	55.00	1.7	25.5		1129	10000	4000	
600	67.47	1.4	20.8		1181	10000	4000	
600	81.43	1.1	17.2	IS063	1220	10000	4000	215
600	99.89	0.94	14.0		1255	10000	4000	
600	126.43	0.74	11.1		1287	10000	4000	
600	150.85	0.62	9.3		1307	10000	4000	
600	185.05	0.51	7.6		1326	10000	4000	
600	217.79	0.43	6.4		1338	10000	4000	
600	267.16	0.35	5.2		1351	10000	4000	
550	7.34	11.4	190.8	IS082	1261	12030	3437	217
600	8.06	11.4	173.6		1273	12302	3515	
650	9.94	10.0	140.8		1482	13161	3760	
700	11.61	9.2	120.6		1598	13797	3942	


IS (n1=1400) Prestazioni / Performance / Leistungen / Performances / Prestaciones

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 D (N)	Fr2 C (N)	
750	12.75	9.0	109.8	IS082	1632	14140	4040	217
770	15.73	7.5	89.0		1859	15264	4361	
770	17.29	6.8	80.9		1962	15832	4523	
770	20.14	5.8	69.5		2107	16778	4794	
800	22.13	5.5	63.3		2154	17288	4939	
800	24.00	5.1	58.3		2219	17830	5094	
900	27.29	5.0	51.3		2228	18000	5253	
900	28.67	4.8	48.8		2264	18000	5354	
1000	31.78	4.8	44.1		2262	18000	5474	
1000	34.91	4.4	40.1		2327	18000	5676	
1000	40.05	3.8	35.0		2412	18000	5983	
1000	43.05	3.5	32.5		2452	18000	6150	
1000	50.25	3.0	27.9		2529	18000	6521	
1000	54.27	2.8	25.8		2563	18000	6712	
1000	61.98	2.5	22.6		2616	18000	7055	
1000	67.52	2.3	20.7	IS083	2646	18000	7285	217
1000	74.18	2.1	18.9		2677	18000	7544	
1000	91.49	1.7	15.3		2735	18000	8152	
1000	117.17	1.3	11.9		2791	18000	8925	
1000	128.73	1.2	10.9		2808	18000	9236	
1000	158.76	0.98	8.8		2842	18000	7200	
1000	184.88	0.84	7.6		2863	18000	7200	
1000	203.11	0.77	6.9		2874	18000	7200	
1000	250.50	0.62	5.6		2895	18000	7200	
1000	292.36	0.53	4.8		2908	18000	7200	
1000	315.73	0.49	4.4		2914	18000	7200	
1000	360.58	0.43	3.9		2923	18000	7200	
850	8.06	16.1	173.6	IS102	647	15163	4332	219
900	8.85	15.5	158.3		729	15574	4450	
950	10.88	13.3	128.6		1050	16712	4775	
1000	12.75	12.0	109.8		1247	17610	5032	
1200	13.99	13.1	100.1		1084	17719	5063	
1300	17.21	11.5	81.3		1311	18935	5410	
1400	19.00	11.3	73.7		1352	19415	5547	
1400	22.13	9.7	63.3		1583	20603	5886	
1500	24.28	9.4	57.7		1616	21097	6028	
1500	26.33	8.7	53.2		1724	21777	6222	
1500	29.87	7.7	46.9		1873	22000	6533	
1500	32.40	7.1	43.2		1961	22000	6741	
1400	34.91	6.1	40.1		2098	22000	7011	
1500	38.30	6.0	36.6		2119	22000	7187	
1300	44.00	4.5	31.8		2333	22000	7724	
1600	47.13	5.2	29.7		2235	22000	7701	
1300	55.14	3.6	25.4		2465	22000	8396	
1600	59.40	4.1	23.6		2391	22000	8406	
1600	67.84	3.6	20.6		2465	22000	8836	
1600	74.18	3.4	18.9	IS103	2510	22000	9136	219
1600	81.39	3.1	17.2		2552	22000	9457	
1600	100.15	2.5	14.0		2634	22000	10211	
1600	110.55	2.3	12.7		2667	22000	10588	
1600	128.73	1.9	10.9		2713	22000	11195	
1600	141.24	1.8	9.9		2737	22000	11580	
1600	173.78	1.4	8.1		2784	22000	9000	
1600	203.11	1.2	6.9		2814	22000	9000	
1600	222.85	1.1	6.3		2829	22000	9000	
1600	274.20	0.91	5.1		2859	22000	9000	
1600	320.79	0.8	4.4		2878	22000	9000	


Prestazioni / Performance / Leistungen / Performances / Prestaciones (n1=1400) IS

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 D (N)	Fr2 C (N)	
1600	345.60	0.72	4.1	IS103	2886	22000	9000	219
1600	394.69	0.63	3.5		2899	22000	9000	
1500	8.48	27.0	165.0	IS122	2951	19587	5596	221
1700	9.30	27.9	150.6		2916	19606	5602	
1900	11.42	25.4	122.6		3010	20674	5907	
2200	12.63	26.6	110.9		2966	20480	5851	
2400	13.84	26.5	101.2		2970	20608	5888	
2600	16.99	23.4	82.4		3087	21932	6266	
2800	21.25	20.1	65.9		3209	23608	6745	
2900	23.29	19.0	60.1		3251	24280	6937	
3000	26.15	17.5	53.5		3252	25277	7222	
3000	28.60	16.0	49.0		3253	26374	7535	
3000	30.51	15.0	45.9		3254	27189	7768	
3000	33.44	13.7	41.9		3255	28374	8107	
3000	35.20	13.0	39.8		3256	29050	8300	
3000	41.07	11.2	34.1		3257	30000	8903	
3000	43.60	10.5	32.1		3258	30000	9145	
2400	49.04	7.5	28.5		3685	30000	10285	
2600	53.75	7.4	26.0		3688	30000	10464	
3000	66.00	6.9	21.2		3705	30000	10962	
2700	71.07	5.9	19.7	IS123	3748	30000	11638	221
3000	87.27	5.4	16.0		3768	30000	12334	
3000	112.52	4.2	12.4		3813	30000	13697	
3000	123.33	3.8	11.4		3826	30000	14218	
3000	133.78	3.5	10.5		3827	30000	14693	
3000	151.43	3.1	9.2		3852	30000	11200	
3000	177.53	2.6	7.9		3869	30000	11200	
3000	194.59	2.4	7.2		3877	30000	11200	
3000	238.93	2.0	5.9		3894	30000	11200	